



Talking



Backlight



2X60

Memory



12:00

3/25



120

Auto

80



Memory

Recall

02

Blood Pressure Monitor



Blood Pressure Monitor

High blood pressure is a significant cardiovascular risk factor. It can cause serious health problems, myocardial infarction and stroke (CVA) in particular. This is why offering reliable, accurate and easy-to-use blood pressure monitors is crucial for good patient pill boxes with medical recommendations.

Sejoy offers simple, affordable blood pressure monitor to meet all requirements. See our range of arm and wrist blood pressure monitors.

Blood Pressure Monitor

Safe and Accurate



BSP-13



Product Features

- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Digital error messages
- Extra large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 4 "AA "or AC Adapter
Unit Weight : 430g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 16.4X11.1X6cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BSP-12



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Digital error messages
- Extra large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 4 "AA "or AC Adapter
Unit Weight : 382g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 14.8X10.0X5.6cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BSP-11



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 1x120 reading
- Date/time
- Digital error messages
- Large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 4 "AAA"or AC Adapter
Unit Weight : 340g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 14.0X9.8X4.8cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1359



Product Features

- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Digital error messages
- Extra large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 4 "AAA"or AC Adapter
Unit Weight : 480g


Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 13.1X10.1X4.4cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")

Blood Pressure Monitor

Safe and Accurate



BP-1358



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Digital error messages
- Extra large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results




Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : $\pm 3\text{mmHg}$
Power Source : 4*AAA or AC Adapter
Unit Weight : 425g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 13.1X10.1X4.4cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1257



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 1x120 reading
- Date/time
- Digital error messages
- Large display
- Deluxe carry case
- AC adapter port
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : $\pm 3\text{mmHg}$
Power Source : 4*AAA or AC Adapter
Unit Weight : 360g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 13.12X10.18X4.41cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1307



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Deluxe carry case
- AC adapter port
- Average All 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : $\pm 3\text{mmHg}$
Power Source : 4*AA or AC Adapter
Unit Weight : 488g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 16.6X11.4X7.2cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1319



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 2x60 reading
- Deluxe carry case
- AC adapter port
- Irregular heartbeat detection
- Date/time
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : $\pm 3\text{mmHg}$
Power Source : 4*AA or AC Adapter
Unit Weight : 480g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 16.6X11.4X7.2cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")

Blood Pressure Monitor

Safe and Accurate



BP-1305



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Deluxe carry case
- AC adapter port
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 425g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 16.6X11.4X7.2cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1209



Product Features

- Digital error messages
- Large display
- Automatic off
- Memory stores 120 reading
- Deluxe carry case
- AC adapter port
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 360g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.4X9.9X6.6cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-103H



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 2x60 reading
- Date/time
- Irregular heartbeat detection
- Blood pressure result indicator
- Average Last 3 results


Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 405kgs

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 16.2X11.0X62.9cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1304



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 2x60 reading
- Date/time
- Irregular heartbeat detection
- Blood pressure result indicator
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 395g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 16.2X11.0X62.9cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



Blood Pressure Monitor

Safe and Accurate



BP-103



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 4x30 reading
- Date/times

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source: 4*AA* or AC Adapter
Unit Weight : 405g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 16.2X11.0X6.3cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1303



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 4 x30reading
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source: 4*AA* or AC Adapter
Unit Weight : 395g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 11.0X15.5X7.0cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1312



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 2x60 reading
- Date/time
- Irregular heartbeat detection
- Blood pressure result indicator
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source: 4*AA* or AC Adapter
Unit Weight : 358g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 13.43X10.19X6.04cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1355



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 2x60 reading
- Deluxe carry case
- AC adapter port
- Irregular heartbeat detection
- Date/time
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source: 4*AA* or AC Adapter
Unit Weight : 480g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 16.6X11.4X7.2cm
Included Cuff Size: 22.0-36.0cm(8.6"-14.2")




Blood Pressure Monitor

Safe and Accurate



BP-1351



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 2x60 reading
- Deluxe carry case
- AC adapter port

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 358g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.1X10.2X6.5cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1254



Product Features

- Digital error messages
- Large display
- Automatic off
- Memory stores 2x60reading
- Deluxe carry case
- AC adapter port
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 360g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.4X9.9X6.6cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1250



Product Features

- Digital error messages
- large display
- Automatic off
- Blood pressure result indicator
- Memory stores 120 reading
- Deluxe carry case
- AC adapter port


Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source: 4*AA*or AC Adapter
 Unit Weight : 340g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.4X10.2X5.9cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1211



Product Features

- Digital error messages
- large display
- Automatic off
- Blood pressure result indicator
- Memory stores 120 reading
- Deluxe carry case
- AC adapter port

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 340g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.1X10.2X6.5cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



Blood Pressure Monitor

Safe and Accurate



BSP-102M



Product Features

- Digital error messages
- Large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 120 reading

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AA* or AC Adapter
 Unit Weight : 330g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.2X10.0X6.3cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-102



Product Features

- Digital error messages
- Extra Large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 120 reading

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: "AA" or AC Adapter
 Unit Weight : 350g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 15.0X11.2X5.6cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1318



Product Features

- Digital error messages
- Large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 2x60 reading
- Irregular heartbeat detection
- Blood pressure result indicator
- Date/time
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AAA* or AC Adapter
 Unit Weight : 317g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.9X8.8X4.3cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



BP-1326



Product Features

- Digital error messages
- Large display
- Automatic off
- Deluxe carry case
- AC adapter port
- Memory stores 4x30 reading
- Irregular heartbeat detection
- Blood pressure result indicator
- Date/time stamp
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : $\pm 3\text{mmHg}$
 Power Source: 4*AAA* or AC Adapter
 Unit Weight : 320g

Pressuer Range: 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions: 13.9X8.8X4.4cm
 Included Cuff Size: 22.0-36.0cm(8.6"-14.2")



Product Specification



Model	BSP-13	BSP-12	BSP-11	BP-1359	BP-1358	BP-1257
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	102.1×68.9mm	84.1×55.1mm	62.3×46.0mm	69.0×67.0mm	45.7×62.0mm	62.3×46.0mm
Memory Bank	2×60	2×60	1×120	2×60	2×60	1×120
Data/Time	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue
IHB Detec	●	●	●	●	●	●
Blood pressu re result indicator	●	●	●	●	●	●
Average Last 3 results	●	●	●	●	●	●
Included Cuff Size	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")
Low Battery Detection	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●
Power Source	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AAA "or AC Adapter	4 "AAA "or AC Adapter	4 "AAA "or AC Adapter	4 "AAA "or AC Adapter
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	Optional	Optional	—	Optional	Optional	—
Talking	Optional	Optional	—	Optional	Optional	—
PC Link	Optional	—	—	—	—	—
AC Adaptor Port	Optional	Optional	Optional	Optional	Optional	Optional
Unit Dimensions	16.4X11.1X6cm	14.8X10.0X5.6cm	14.0X9.8X4.8cm	13.1X10.1X4.4cm	13.1X10.1X4.4cm	13.12X10.18X4.41cm
Unit Weight	430g	382g	340g	480g	425g	360g
Packing	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton
Carton size	42 x 43 x 38.5 cm	40.5 x 35 x 36.0 cm	40.5 x 35 x 36.0 cm	42 x 42 x 38.5 cm	42 x 43 x 38.5 cm	40.5 x 35 x 39 cm
Carton Weight	14kgs	12kgs	12kgs	14kgs	14kgs	12kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.

Product Specification



Model	BP-1307	BP-1319	BP-1305	BP-1209	BP-103H	BP-1304
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	102.1×68.9mm	102×68.9mm	84.1×55.1mm	62.7×46.4mm	84.1×55.1mm	62.7×46.4mm
Memory Bank	2×60	2×60	2×60	120	2×60	2×60
Data/Time	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue
IHB Detec	●	●	●	—	●	●
Blood pressu re result indicator	●	●	●	—	●	●
Average Last 3 results	●	●	●	—	●	●
Included Cuff Size	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")
Low Battery Detection	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●
Power Source	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	Optional	Optional	Optional	—	—	—
Talking	Optional	Optional	Optional	—	—	—
PC Link	Optional	Optional	—	—	—	—
AC Adaptor Port	Optional	Optional	Optional	Optional	Optional	Optional
Unit Dimensions	16.6X11.4X7.2cm	16.6X11.4X7.2cm	16.6X11.4X7.2cm	13.4X9.9X6.6cm	16.2X11.0X62.9cm	16.2X11.0X62.9cm
Unit Weight	488g	480g	425g	360g	405g	395g
Packing	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton
Carton size	42.5 x 37.5 x 44.5 cm	42.5 x 37.5 x 44.7 cm	42.0 x 43.0 x 38.5 cm	40.5 x 35.0 x 39.0 cm	42.0 x 43.0 x 38.5 cm	42.0 x 43.0 x 38.5 cm
Carton Weight	14kgs	14kgs	14kgs	12kgs	14kgs	14kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.

Product Specification



Model	BP-103	BP-1303	BP-1312	BP-1355	BP-1351	BP-1254
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	84.1×55.1mm	62.7×46.4mm	62.7×46.4mm	84.0×55.0mm	62.7×46.4mm	45.0×30.0mm
Memory Bank	4×30	4×30	2×60	2×60	2×60	2×60
Data/Time	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue
IHB Detec	—	—	●	—	●	—
Blood pressu re result indicator	—	—	●	●	●	—
Average Last 3 results	—	—	●	—	●	—
Included Cuff Size	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")
Low Battery Detection	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●
Power Source	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	—	—	—	Optional	—	—
Talking	—	—	—	Optional	—	—
PC Link	—	—	—	—	—	—
AC Adaptor Port	Optional	Optional	Optional	Optional	Optional	Optional
Unit Dimensions	16.2X11.0X6.3cm	11.0X15.5X7.0cm	13.43X10.19X6.04cm	16.6X11.4X7.2cm	13.1X10.2X6.5cm	13.4X9.9X6.6cm
Unit Weight	405g	395g	358g	480g	358g	360g
Packing	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton
Carton size	42.0 x 43.0 x 38.5 cm	42.0 x 43.0 x 38.5 cm	40.5 x 35.0 x 39.0 cm	42.5 x 37.5 x 44.7 cm	41.0 x 35.5 x 40.0 cm	40.5 x 35.0 x 39.0 cm
Carton Weight	14kgs	14kgs	12kgs	14kgs	12kgs	12kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.

Product Specification



Model	BP-1250	BP-1211	BSP-102M	BP-102	BP-1318	BP-1326
Type	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm	Up-Arm
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	45.0×30.0mm	45.0×30.2mm	45.7×30.0mm	83.0×35.0mm	66.0×43.0mm	66.0×43.0mm
Memory Bank	120	120	120	120	2×60	4×30
Data/Time	●	●	—	—	Month+Day +Hour+Mintue	Month+Day +Hour+Mintue
IHB Detec	—	—	—	—	●	●
Blood pressu re result indicator	●	●	—	—	●	●
Average Last 3 results	—	—	—	—	●	●
Included Cuff Size	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")	22.0-36.0cm (8.6"-14.2")
Low Battery Detection	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●
Power Source	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AA "or AC Adapter	4 "AAA "or AC Adapter	4 "AAA "or AC Adapter
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	—	—	—	—	—	—
Talking	—	—	—	—	—	—
PC Link	—	—	—	—	—	—
AC Adaptor Port	Optional	Optional	Optional	Optional	Optional	Optional
Unit Dimensions	13.4X10.2X5.9cm	13.1X10.2X6.5cm	13.2X10.0X6.3cm	15.0X11.2X5.6cm	13.9X8.8X4.3cm	13.9X8.8X4.4cm
Unit Weight	340g	340g	330g	350g	317g	320g
Packing	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton	1pc/giftbox, 24pcs/carton
Carton size	40.5x 35.0 x 39.0 cm	40.5x 35.0 x 39.0 cm	40.5x 35.0 x 39.0 cm	40.5x 35.0 x 39.0 cm	40.5x 35.0 x 39.0 cm	40.5x 35.0 x 39.0 cm
Carton Weight	12kgs	12kgs	12kgs	12kgs	12kgs	12kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.

Blood Pressure Monitor

Safe and Accurate



BSP-22



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 *AAA *
Unit Weight : 115g

Pressuer Range : 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions : 8.4X6.4X2.9cm
Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BSP-21



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 1x120 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 *AAA *
Unit Weight : 114g

Pressuer Range : 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions : 8.4X6.4X2.9cm
Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-2261



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 *AAA *
Unit Weight : 115g

Pressuer Range : 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions : 8.5X6.2X2.5cm
Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-2160



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average Last 3 results



Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 *AAA *
Unit Weight : 114g

Pressuer Range : 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions : 8.5X6.2X2.5cm
Included Cuff Size : 13.5-21.5cm(5.3"-8.5")

Blood Pressure Monitor

Safe and Accurate



BP-2208



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Includes carry case
- Average All results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 "AAA"
Unit Weight : 117g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 7.7X6.4X3.2cm
Included Cuff Size: 13.5-21.5cm(5.3"-8.5")



BP-2220



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 2x60 reading
- Includes carry case
- Date/time
- Irregular heartbeat detection
- Measures at wrist
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 "AAA"
Unit Weight : 120g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 7.6X6.4X3.2cm
Included Cuff Size: 13.5-21.5cm(5.3"-8.5")



BP-2253



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average All results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 "AAA"
Unit Weight : 115g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 7.7X6.4X3.25cm
Included Cuff Size: 13.5-21.5cm(5.3"-8.5")



BP-2206



Product Features

- Digital error messages
- Large display
- Automatic off
- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Includes carry case
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
Pressuer Accuracy : ± 3 mmHg
Power Source : 2 "AAA"
Unit Weight : 110g

Pressuer Range: 0 to 300mmHg
Pulse Accuracy : $\pm 5\%$
Unit Dimensions: 7.7X6.4X3.25cm
Included Cuff Size: 13.5-21.5cm(5.3"-8.5")




Blood Pressure Monitor

Safe and Accurate



BP-2152



Product Features

- Irregular heartbeat detection
- Blood pressure result indicator
- Memory stores 2x60 reading
- Date/time
- Measures at wrist
- Extra large display
- Digital error messages
- Includes carry case
- Automatic off
- Average Last 3 results


Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 110g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7. 7X6.4X3.2cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-2156



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 2x60 reading
- Includes carry case
- Date/time
- Irregular heartbeat detection
- Measures at wrist
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 120g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.7X6.4X3.2cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-202H



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Measures at wrist
- Includes carry case
- Memory stores 4x30 reading
- Date/time
- Irregular heartbeat detection
- Blood pressure result indicator
- Average Last 3 results

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 120g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.6X6.75X2.85cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-202N



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Measures at wrist
- Includes carry case
- Memory stores 4x30 reading
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 117g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.6X6.75X2.85cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")




Blood Pressure Monitor

Safe and Accurate



BP-201M



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Measures at wrist
- Includes carry case
- Memory stores 120 reading

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 117g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.6X6.75X2.85cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-2116



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Blood pressure result indicator
- Memory stores 120 reading
- Includes carry case
- Measures at wrist
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 128g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.9X6.6X2.8cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-202



Product Features

- Digital error messages
- Extra large display
- Automatic off
- Measures at wrist
- Includes carry case
- Memory stores 4x30 reading
- Date/time

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 110g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.9X6.4X2.9cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



BP-201



Product Features

- Digital error messages
- Large display
- Automatic off
- Measures at wrist
- Includes carry case
- Memory stores 120 reading

Technical Parameter

Measurement Method : Oscillometric Method
 Pressuer Accuracy : ± 3 mmHg
 Power Source : 2*AAA*
 Unit Weight : 110g

Pressuer Range : 0 to 300mmHg
 Pulse Accuracy : $\pm 5\%$
 Unit Dimensions : 7.6X6.7X2.9cm
 Included Cuff Size : 13.5-21.5cm(5.3"-8.5")



Product Specification



Model	BSP-22	BSP-21	BP-2261	BP-2160	BP-2208	BP-2220	BP-2253	BP-2206
Type	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	49.0×38.0mm	45.0×30.0mm	43.0×40.0mm	30.0×45.0mm	49.0×38.0mm	49.0×38.0mm	49.0×38.0mm	45.0×30.0mm
Memory Bank	2×60	1×120	2×60	2×60	2×60	2×60	2×60	2×60
Data/Time	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue
IHB Detec	●	●	●	●	●	●	●	●
Blood pressu re result indicator	●	●	●	●	●	●	●	●
Average Last 3 results	●	●	●	●	●	●	●	●
Included Cuff Size	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")
Low Battery Detection	●	●	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●	●	●
Power Source	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	Optional	—	Optional	—	Optional	Optional	Optional	—
Talking	Optional	—	Optional	Optional	Optional	Optional	Optional	Optional
PC Link	Optional	—	—	—	—	—	—	—
AC Adaptor Port	—	—	—	—	—	—	—	—
Unit Dimensions	8.4X6.4X2.9cm	8.4X6.4X2.9cm	8.5X6.2X2.5cm	8.5X6.2X2.5cm	7.7X6.4X3.2cm	7.6X6.4X3.2cm	7.7X6.4X3.25cm	7.7X6.4X3.25cm
Unit Weight	115g	114g	115g	114g	117g	120g	115g	110g
Packing	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton
Carton size	40 x 37.5 x 32.0 cm	40 x 37.5 x 32.0 cm	40 x 37.5 x 32.0 cm	40 x 37.5 x 32.0 cm	43.5x 36 x 35.6 cm	43.5x 36 x 35.7 cm	40 x 37.5x 32.0 cm	43.5 x 36.0x 35.5cm
Carton Weight	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.

Product Specification



Model	BP-2152	BP-2156	BP-202H	BP-202N	BP-201M	BP-2116	BP-202	BP-201
Type	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist	Wrist
Measurement Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method	Oscillometric Method
Pressuer Range	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg	0 to 300mmHg
Pulse Range	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute	30 to 180 Beat/Minute
Pressuer Accuracy	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg	±3mmHg
Pulse Accuracy	±5%	±5%	±5%	±5%	±5%	±5%	±5%	±5%
LCD Size	45.0×30.0mm	45.0×32.0mm	45.0×30.0mm	45.0×30.0mm	45.0×30.0mm	45.0×30.0mm	42.0×34.0mm	30.0×36.0mm
Memory Bank	2×60	2×60	4×30	4×30	120	120	4×30	120
Data/Time	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	Month+Day+Hour+Mintue	—
IHB Detec	●	●	●	—	—	—	—	—
Blood pressu re result indicator	●	●	●	—	—	●	—	—
Average Last 3 results	●	●	●	—	—	—	—	—
Included Cuff Size	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")	13.5-21.5cm (5.3"-8.5")
Low Battery Detection	●	●	●	●	●	●	●	●
Automatic Power-off	●	●	●	●	●	●	●	●
Power Source	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "	2 "AAA "
Battery life	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)	About 2 months (test 3 times per day, 30 days/per month)
BackLight	—	Optional	—	—	—	—	—	—
Talking	—	Optional	—	—	—	Optional	—	—
PC Link	—	—	—	—	—	—	—	—
AC Adaptor Port	—	—	—	—	—	—	—	—
Unit Dimensions	7.7X6.4X3.2cm	7.7X6.4X3.2cm	7.6X6.75X2.85cm	7.6X6.75X2.85cm	7.6X6.75X2.85cm	7.9X6.6X2.8cm	7.9X6.4X2.9cm	7.6X6.7X2.9cm
Unit Weight	110g	120g	120g	117g	117g	128g	110g	110g
Packing	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton	1pc/giftbox, 8pcs/inner box, 48pcs/carton
Carton size	40.0x 37.5 x 22.0 cm	43.5 x 36x 35.7 cm	40 x 37.5 x 44.0 cm	40 x 37.5 x 44.0 cm	40x 37.5 x 44.0 cm	40x 37.5 x 44.0 cm	40 x 37.5x 44.0 cm	40 x 37.5x 44.0cm
Carton Weight	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs	10.5kgs

OP Indicate "OPTIONAL" "●" Indicate "YES" "—" Indicate "NO" Detail information, please check with us.